

1.4

INDEX MAPS.

T.9N R.2W 2nd Mer.

	328	328	328	327	327	327	
331	6	343 5	342 4	351 3	353 2	352 1	326
	343	342	341	351	352	349	
330	7	342 8	339 9	337 10	351 11	349 12	326
	341	341	338	350	350	347	
330	18	340 17	338 16	337 15	349 14	347 13	325
	340	339	337	348	348	346	
329	19	339 20	338 21	337 22	348 23	346 24	325
	336	335	334	346	345	345	
329	30	335 29	334 28	332 27	345 26	344 25	325
	336	334	333	332	331	344	
329	31	335 32	333 33	332 34	331 35	344 36	324
	324	324	323	323	323	323	

T.10N R.2W 2nd Mer.

	362	362	362	360	360-361	359-361	359-361					
364	6	377	377	4	3	387	2	389	1	359		
	375	375	375	376	377-377	388		389				
364	7	376	8	374	9	384	10	11	12	358		
	376	373	373-374	383		385	385-387					
364	18	373	17	374	16	382	15	383	14	386	13	358
	372	372	382	382	381	380						
362	19	371	20	371	21	381	22	380	23	379	24	357
	371	369	369	366	379-380	366						
362	30	370	29	369	28	366	27	379	26	365	25	357
	371	370	368	367	378	365-367						
362	31	370	32	368	33	367	34	378	35	365	36	357
	356	356	356	355	355	355						

Meandering 394

The figures on the lines refer to the page.

Traverse No. 9 North Range No. 2 West 2nd Mer. (Ind.)
Ch. M.

South Boundary. April 6. 1811.

West 1st Mile from the cor. to Sec. 36. T. N. 9. R. 2 W.
on the South Boundary of sec 36. T. N. 9. R. 2 W.

40.00 Set a post for the cor. to Sec. 35. from which a
Wick 13 in. dia. beam S 37 E 31 links dist; to

Do 14 " " " S 53 W. 22 " "

80.00 Set a post for the cor. to Sec. 35. & 36. from N. 9. R.
N. 2 W. from which a

Log work 5 in. dia. beam S 16 W. 28 links dist; to

Do 4 " " " S 16 E. 16 " "

Sand and timber Oak & Hickory

West 2nd Mile on the South Boundary of sec 35. T. N. 9. R.
N. 2 W.

35.00 Set a post for the cor. to Sec. 34. from which a

40.00 Set a post for the cor. to Sec. 34. from which a

Beam 10 in. dia. beam S 46 E. 14 links dist; to

Log work 5 " " " S 87 W. 16 " "

80.00 Set a post for the cor. to Sec. 34 & 35 T. N. 9. R.
N. 2 W. from which a

W. Oak 15 in. dia. beam S 30 W. 7 links dist; to

W. Oak 18 " " " S 45 W. 13 " "

Sand, dirt and timber same as in the last mile.

West 3rd Mile on the South Boundary of sec. 34 T. N. 9
R. N. 2 W.

40.00 Set a post for the cor. to Sec. 34. from which a

Log 12 in. dia. beam S 25 E 13 links dist; to

Do 8 " " " S 15 W. 12 " "

80.00 Set a post for the cor. to Sec. 33 & 34 T. N. 9. R.
N. 2 W. from which a

Beam 5 in. dia. beam S 40 W. 12 links dist; to

W. Oak 36 " " " S 55 E. 15 " "

Sand and timber; Poplar, Sugar, Oak &c.

West 4th Mile on the South Boundary of sec. 33. T. N. 9.

T. N. 9. N. R. No 2 W. 2nd Mer. (Ind^d)

N. R. No 2 W.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 10 in. dia. bore N 22 W. 13 hicks ditch; 10
do 13 " " " S 11 W 30 " "
- 80.00 Set a post for the cor. to sec. 32. 133. T. N. 9. N. R.
No 2 W. from which a
Oak 16 in. dia. bore N 25 E. 4 hicks ditch; 10
Sugar 8 " " " S 35 W. 30 " "
Good land timber Sugar, Ash, Walnut. &c

- West 5th Mile on the South Boundary of sec. 32 T.
N. 9. N. R. No 2 W
- 29.00 To a Brook 20 miles wide; Lerner N. W.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Oak 5 in. dia. bore S 87 E. 18 hicks ditch; 10
Butternut 12 " " " N 42 W 16 " "
- 80.00 Set a post for the cor. to sec. 31 132 T. N. 9. N.
R. No 2 W. from which a
Sugar 12 in. dia. bore S 30 E. 14 hicks ditch; 10
Beck 8 " " " N 12 W 12 " "
Good soil and timber same as on the last mile.

- West 6th Mile on the South Boundary of sec. 31. T. N. 9.
N. R. No 2 W
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 16 in. dia. bore N 26 W 26 hicks ditch; 10
do 4 " " " S 30 E. 5 " "
- 80.00 Set a temporary post for Town Cor.

East Boundary. April 4th 1811

- North 1st Mile from the cor. of T. N. 8 + 9 N. R. No 1 W.
W. on the East Boundary of sec 36 T. 9. N. R. 2 W.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Hick 10 in dia. bore West 18 hicks ditch; 10
Maple 11 " " " N 65 E 83 " "
- 60.00 To a W. Oak 14 in. dia. It runs on the line

T. N. 9. N.R. N. 2 W. 2nd Mer. (Ind. ^o)

30.00 Set apart for the cor. to Sec. 25. & 36 T. N. 9. N.R.
N. 2 W. 2nd Mer. Ind. ^o from which \circ
Dogwood 4 in dia. trees S35 E. 33 miles dist; 10
Dogwood 6 in \circ \circ N33 W. 34 \circ \circ
Sands on the N. $\frac{1}{2}$ mile First rate; Timber Sugar & Oak
 \circ \circ 2nd $\frac{1}{2}$ \circ level \circ \circ \circ

North 2nd Mile on the East Boundary of Sec 25. T. N. 9. N.R. N. 2 W.

38.00 Iron Brook 10 miles dist; course S.E.

40.00 Set apart for the cor. to $\frac{1}{4}$ Sec. from which \circ
W. Oak 14 in dia. trees S50 E. 18 miles dist; 10
W. Oak 11 \circ \circ \circ N79 W. 10 \circ \circ

66.00 Iron Weir 14 in dia. Stands on the line.

80.00 Set apart for the cor. to Sec. 24. & 25. T. N. 9. N.
N. N. 2 W. from which \circ
Weir 12 in dia. trees N50 E. 20 miles dist; 10
Buck 12 \circ \circ \circ S74 W. 26 \circ \circ
Sands soil and timber same as on the last mile.

North 3rd Mile on the East Boundary of Sec 24 T. N. 9. N.
N. N. 2 W.

22.50 Iron Brook 12 miles dist. course S.E.

40.00 Set apart for the cor. to $\frac{1}{4}$ Sec. from which \circ
Maple 14 in dia. trees N10 E. 29 miles dist; 10
Poplar 25 \circ \circ \circ S75 W. 10 \circ \circ

69.50 Iron Weir 13 in dia. Stands on the line.

80.00 Set apart for the cor. to Sec. 13. & 24 T. N. 9. N.
N. N. 2 W. from which \circ
B. Oak 18 in dia. trees N46 W. 20 miles dist; 10
Dogwood 4 \circ \circ \circ S59 W. 12 \circ \circ
Good Oak Sands;

North 4th Mile on the East Boundary of Sec. 13. T. N. 9.
N.R. N. 2 W.

23.50 Iron Weir 18 in dia. Stands on the line.

T. N. 9 N. R. N. 2 W. 2nd Mer. Ind.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugm 10 in dia. bears N 38 W 34 miles dist; to
Ls 13 n n n S 38 E. 21 n n
- 67.00 To a Brook 12 miles wide; course N.E.
- 73.50 To a Brook 8 n n n S.E.
- 80.00 Set a post for the cor. to sec. 12 & 13. T. N. 9 N.
R. N. 2 W. from which
Heik 12 in dia. bears S 37 W. 3 miles wide; to
Ls 10 n n n S 68 E. 10 n n
Land on the 1st $\frac{1}{2}$ mile same as on the last $\frac{1}{2}$ mile.
n n n 2nd n n of middling quality;
Timber Oak and Birch.

- North 5th Mile; On the East Boundary of sec. 12. T. N. 9
R. N. 2 W.
- 32.50 From post 30 in dia. stands on the line
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugm 12 in dia. bears N 47 W. 9 miles dist; to
Buttomet 18 n n n S 57 E. 31 n n
- 43.50 To a Brook 12 miles wide; course S.E.
- 53.50 To a Septa 20 in dia. stands on the line
- 80.00 Set a post for the cor. to sec. 1 & 12. T. N. 9 N.
R. N. 2 W. from which a
Beck 13 in dia. bears N 29 E. 31 miles dist; to
Chp 12 n n n N 60 W. 40 n n
Sand soil much timber same as on the last mile.

- North 6th Mile on the East Boundary of sec. 1 T. N. 9
R. N. 2 W.
- 37.75 To a line hence S 53 W.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugm 17 in dia. bears S 58 E. 36 miles dist; to
Ls 14 n n n N 19 W. 31 n n
- 54.00 To a Sugm 16 in. dia. stands on the line
- 80.00 Set a post for the cor. to sec. 1. 6. 31 & 36 T. N. 9
10 R. N. 2 W. 12 W. from which a

T. N. 9. N. R. N. 2 W. 2nd Mer. Ind.

Beck 5 in dia. base N 6 W 13 miles dist; to
Do 12 " " " N 24 E. 28 " "
Good Land; Timber Beck, Sugar & Poplar

North Boundary.

Corrected and marked the line West between
Towns 9-10 N. R. 2 W.

West 1st Mile on the South Boundary of Sec. 36 T. N. 10
N. R. N. 2 W.

750 Iron Brook 15 miles wide; corner N. E.

40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
Oak 21 in dia. base N 77 E. 2 miles dist; and a
Beck 14 " " " N 10 E. 4 " "

80.00 Set apart for the cor. to Sec. 35, 136. T. N. 10. N. R.
N. 2 W. 2nd Mer. Ind. from which a
B. Oak 30 in dia. base N 55 W. 14 miles dist; to
Height 5 " " " S 85 E. 8 " "
Good Land; Timber Beck Oak & Walnut &c

West 2nd Mile on the South Boundary of Sec. 35 T. N. 9
N. R. N. 2 W.

40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
Gum 16 in dia. base N 68 E. 2 miles dist; to
Sugar 6 " " " S 20 W. 36 " "

80.00 Set apart for the cor. to Sec. 34-35. T. N. 10 N.
N. R. N. 2 W. from which a
Sugar 12 in dia. base S 70 E. 3 miles dist; to
Beck 16 " " " N 48 W. 24 " "
Good level land; Timber Beck, Sugar &c.

West 3rd Mile on the South Boundary of Sec. 34 T. N. 10
N. R. N. 2 W.

40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
Beck 11 in dia. base N 52 E. 16 miles dist; to
Do 12 " " " S 21 E. 18 " "

50.00 Iron Brook 75 miles wide; corner N. W.

T. N. 9. N.R. N. 27. 2nd Mer. Ind.

- 80.00 Set a post for the cor. to sec. 33 & 34. T. N. 10. N.
N.R. N. 27. from which
Bench 4 in. dia. bears N 59 W. 10 miles dist; to
Do 5 " " " 44 W. 14 " "
Lands here made rich; Timber Sugar, Walnut to

- West 4th Mile on the South Boundary of sec. 33. T. N. 10.
N.R. N. 27.
40.00 Set a post for the cor. to 1/4 sec. from which
Bench 18 in. dia. bears S 18 E. 14 miles dist; to
Bench 6 " " " N 27 E. 21 " "
80.00 Set a post for the cor. to sec. 32 & 33. T. N. 10. N.
N.R. N. 27. from which
Bench 12 in. dia. bears N 46 W. 9 miles dist; to
Do 12 " " " S 14 W. 18 " "
Lands here; Timber Oak; Bench to

- West 5th Mile; on the South Boundary of sec. 32. T. N. 10.
N.R. N. 27.
40.00 Set a post for the cor. to 1/4 sec. from which
Bench 13 in. dia. bears N 45 E. 29 miles dist; to
Do 12 " " " S 9 E. 9 " "
80.00 Set a post for the cor. to sec. 31 & 32. T. N. 10. N.
N.R. N. 27. from which
Bench 13 in. dia. bears S 36 E. 17 miles dist; to
Do 6 " " " N 8 W. 26 " "
Flat over Bench lands

- West 6th Mile on the South Boundary of sec. 31. T. N. 10.
N.R. N. 27.
15.00 Iron Brook 8 miles wide across N.
40.00 Set a post for the cor. to 1/4 sec. from which
Bench 11 in. dia. bears N 64 E. 27 miles dist; to
Do 18 " " " S 16 E. 35 " "
73.00 Enter into the N. 1/2, here 50 miles South of my
temp^y post. and set a post for the cor. to T. N. 9. 10

T. No. 9. N. R. No. 277. 2nd to Mer. (Ind. Co.)

N. R. No. 277. 3rd W. from which a
 Tree 10 in dia. trunk S 80 W. 12 hicks ditch; 10
 Do 8 " " " N 70 E. 34 " "
 Flat Bush Run 10.

West Boundary. Apr. 8. 1811.

From the cor. to T. No. 8. & 9. N. R. No. 213 W.
 North 1st Mile. on the East Boundary of Sec. 36. T. No. 9 N.
 R. No. 377.
 18.50 To a Birch 60 miles away; hence S W.
 25.00 " " " 15 " " " S. E.
 33.50 " " " 15 " " " S W.
 40.50 Set a post for the cor. to Sec. 34 on from which a
 Sugar 11 in dia. trunk N 27 E. 13 hicks ditch; 10
 Do 12 " " " S 27 W. 15 " "
 75.00 To a Poplar 30 in dia. stands on the line
 80.70 Set a post for the cor. to Sec. 35, & 36. from which
 a Sugar 10 in dia. trunk N 47 E. 31 hicks ditch to
 Birch 16 " " " S 57 W. 26 " "
 Limbs broken with Suto Timber Bush to. on the 1st
 1/2 mile; on the 2nd 1/2 mile with limbs timber
 Sugar &c.

North 2nd Mile on the East Boundary of Sec. 25 T. No. 9
 N. R. No. 277.
 40.00 Set a post for the cor. to Sec. 34 on from which a
 Coffeenut 16 in dia. trunk S 6 W. 12 hicks ditch; 10
 Birch 10 " " " N 44 E. 2 " "
 62.00 To a Birch 15 in dia. stands on the line.
 80.00 Set a post for the cor. to Sec. 24 & 25 T. No. 9 N.
 R. No. 377. from which a
 Sugar 4 in dia. trunk S 20 E. 3 hicks ditch; 10
 Birch 18 " " " N 31 W. 35 " "

North 3rd Mile on the East Boundary of Sec. 24. T. No. 9
 N. R. No. 377.

T. N. 9. N. R. N. 27. Q. N. A. M. S. A. W.

- 9.50 To a Bush 14 in dia. Stand in the line.
 40.00 Set a post for the cor. to from which
 Height 12 in dia. beam S 127. 9 miles dist; 10
 H. 12 in - - - N 38 E. 9 in - -
 80.00 Set a post for the cor. to S. 13. 124 T. N. 9. N.
 R. N. 37. from which
 W. Oak 36 in dia. beam N 47 E. 22 miles dist; 10
 W. Oak 36 in - - - S 47 W. 30 in - -
 Sande hole; Timber Oak, Height 17 and Bush.

- North 4th Mile, On the East Boundary of sec. 13. T.
 N. 9. N. R. N. 37.
 19.50 To a Sugar in dia. Stand in the line.
 34.00 To a Brook 30 miles wide; corner S. W.
 40.00 Set a post for the cor. to from which
 Bush 15 in dia. beam S 59 E. 13 miles dist; 10
 W. Oak 30 in - - - S 46 W. 45 in - -
 64.50 To a Bush 25 in dia. beam in the line.
 80.00 Set a post for the cor. to S. 12. 123 T. N. 9. N.
 N. 37. from which
 Height 11 in dia. beam S 41 E. 18 miles dist; 10
 W. Oak 20 in - - - N 49 W. 31 in - -
 Good Oak land.

- North 5th Mile On the East Boundary of sec. 12. T. N. 9.
 N. R. N. 37.
 10.00 To a Poplar 30 in dia. Stand in the line.
 34.50 To a Brook 10 miles wide; corner S. W.
 40.00 Set a post for the cor. to from which
 Sugar 5 in dia. beam S 40 W. 16 miles dist; 10
 Oak 18 in - - - N 81 E. 14 in - -
 80.00 Set a post for the cor. to S. 11. 12. T. N. 9. N.
 R. N. 37. from which
 Bush 14 in dia. beam N 63 W. 21 miles dist; 10
 H. 13 in - - - S 65 E. 36 in - -
 Sande hole; Timber Bush, Poplar, Sugar, 10

T. N. 9. N. 27. 2nd Mer. Ind.

- North 6th Mile on the South Branch at off sec. 1. T. N. 9
N. N. 27.
- 22.00 To a Poplar 30 in dia. stands in the line.
- 40.00 Set a post for the cor. to 1/4 sec. from which is
N. Oak 36 in. dia. bears S 41 E. 3 miles dist; to
ack — — — — —
- 57.50 To a N. Oak 50 in dia. stands in the line.
- 80.00 Set a temporary post for the cor. to Sec. 9. & 14. N. N.
2 & 37. To the west lands; Timber Oak, Oak
and Hickory

Surveyed by
James Holmes
Clerk & Surveyor

Subdivision Var. 7° 07

- North Between Sec. 34 & 35. T. N. 9. N. N. 27.
- 40.00 Set a post for the cor. to 1/4 sec. from which is
Beech 10 in dia. bears N 40 E. 10 miles dist; to
do 12 — — — S 15 E. 18 — —
- 80.00 Set a post for the cor. to sec. 26, 27, 34 & 35 from
which are Ironwood 4 in. diam. S 50 E. 7 the dist
and a Sugar 12 — — S 69 N 9 — —
Lands rolling in low hills; Timber Poplar, Beech
Sugar Walnut Oak, Hickory, &c. excellent farm-
ing lands. Very rich soil;

East On a line from this between sec. 26 & 35 T. N. 9. N.
N. N. 27

- 40.00 Set a temporary post for the cor. to 1/4 sec.
- 79.78 Enter onto the N. & S. line 95 miles North of the
Post set for the cor. to sec. 25, 26, 35 & 36.
Lands high in low hills Timber Oak Hickory
Poplar, Beech, &c. excellent farming lands;

West On the true line between sec. 26 & 35 T. N. 9. N.
N. N. 27.

T. N. 9. N. R. N. 2 W. 2nd Mer. Ind:

- 39.89 Set the temporary post at the av. dist on the true line
for the cor. to $\frac{1}{4}$ sec. from which
Heike 14 in. dia bears S40 E 21 links dist; to
Beck 9 " " " S57 W. 11 " "
- 79.78 To the post set for the cor. to Sec. 26. 27. 34. 35

- West Between Sec. 27. & 34 T. N. 9. N. R. N. 2 W. v. 5. 26
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which
Log made 9 in dia bears S79 W. 28 links dist;
Heike 7 8 " " " N51 E. 32 " "
- 80.00 Set a post for the cor. to Sec. 27. 28. 33. 34 from
which Sugar 6 in dia bears S8 W. 2 links dist
made a No 8 " " " N44 W 8 " "
Lands rolling; Timber Buck, Sugar, Ash, & Wal-
nut Poplar Oak &c. Excellent lands for farm?

- North Between Sec. 27. & 28. T. N. 9. N. R. N. 2 W.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which
Sugar 7 in dia. bears S59 W. 23 links dist; to
Do 16 " " " N82 E. 28 " "
- 50.00 To a Brook 15 links wide; corner N.
80.00 Set a post for the cor. to Sec. 21. 22. 27. 28. from
which B. Walnut 14 in. dia bears S71 E. 20 links dist
made a Sugar 10 " " " N68 W 13 " "
Lands rolling; Timber Walnut, Buck, Sugar,
Ash, Oak, &c. Good farming; lands.

South On a Random line between Sec. 33 & 34. T. N. 9.
N. R. N. 2 W.

- 13.50 To a Brook 15 links wide corner N. W.
40.00 Set a post temporary for the cor. to $\frac{1}{4}$ sec.
80.30 Intersected the E & W line 67 links west of the post
set for the cor. to Sec. 33 & 34.
Lands on the N. fr rolling made 1st rate farming
lands; South fr rolling made 2nd rate farming
lands Timber Sugar &c on the last mile.

T. N. 9. R. N. 2 W. 2nd Mer Ind.

North On the true line between Sec. 33 & 34. T. N. 9. R. N. 2 W.

- 40.15 Set the temporary post at the corner, dist on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 5 in dia. bears N13 E. 10 miles dist; to
Beck 12 " " " S50 W 10 " "
- 80.30 To the post set for the cor. to Sec. 27, 28, 33 & 34.

West Between Sec. 28 & 33. T. N. 9. R. N. 2 W.

- 20.00 To a Brook 20 miles wide; corner S. W.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 8 in dia bears West 4 miles dist; to
Sugar 8 " " " N64 E. 18 " "
- 42.00 To a Brook 30 miles wide corner S. W.
- 80.00 Set a post for the cor. to sec. 28, 29, 32 & 33, from
which a Beck 9 bears N63 E. 12 miles dist; to
Sugar 14 in dia bears N40 W 14 " "
Lands rolling; Timber same; good farming
rich soil.

South Cranberry line between Sec. 32 & 33. T. N. 9. R. N. 2 W.

- 30.00 To a Brook 30 miles wide corner S. W.
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 80.64 Intersect the E & W. line 75 miles West of the post
set for the cor. to sec. 32 & 33. T. N. 9. R. N. 2 W.
Lands on the N $\frac{1}{2}$ mile; R. rate farming lands;
Ch " " S $\frac{1}{2}$ " 2nd " " "
Timber same as on the last mile.

North On the true line between Sec. 32 & 33. T. N. 9. R. N. 2 W.

- 40.30 Set the temporary post at the corner, dist on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Beck 12 in dia. bears N47 W. 6 miles dist; to
Beck 14 " " " N8 W. 22 " "

T. N. 9. N. R. No 27. 2nd Mer (Ind)

80.64. To the first set for the cor. to Sul. 28. 29. 32. 133.

West Between Sections 29. 132 T. N. 9. N. R. No 27.

40.00 Set a post for the cor. to 1/4 Sec. Var. 5° 40'

from which a Bech 6 in dia. bears N 11 E 5 miles dist; to Walnut 12 in dia. bears N 47 E 9 1/2 miles dist;

80.00 Set a post for the cor. to Sul. 29. 30. 31. 132 from which

a Sugar 9 in dia. bears S 31 W. 7 miles dist; to Bech 18 in dia. bears S 82 E. 20 in

lands. Heilly good farming lands; Timber Oak, Bech, Sugar, Poplar, &c.

North Between Sul. No 28. & 29 T. N. 9. N. R. No 27.

40.00 Set a post for the cor. to 1/4 Sec. from which a

Walnut 14 in dia. bears N 66 W. 16 miles dist; to

Bech 13 in dia. bears N 53 E. 18 in

80.00 Set a post for the cor. to Sul. 20. 21. 28. & 29 from which

a Sugar 8 in dia. bears N 52 E. 10 miles dist; to

Walnut 9 in dia. bears S 72 W. 11 in

lands. On the South 1/2 good for farming; the N 1/2 Heilly. Timber same as on the last mile.

Var. 7° 07'

East On a random line between Sul. 21. & 28. T. N. 9.

N. R. No 27. Sept: 17th 1815.

40.00 Set a temporary post for the cor. to 1/4 Sec

80.26 Set a post on the N 1/2 line 22 miles North of the

first set for the cor. to Sul. 21. 22. 27. & 28.

East 1/2 Good farming lands; West 1/2 Heilly & Stony; Timber same as on the last mile.

West On the true line between Sul. 21. & 28. T. N. 9. N. R. No 27.

40.13 Set the temporary post at the aver. dist. on the true line for the cor. to the 1/4 Sec. from which a

Bech 12 in dia. bears S 21 W. 11 miles dist; to

T. N. 9. N. R. No. 27. 2nd Mer. Ind.

81.26 Sugar 11 in. dia. beam N 32 W. 25 miles dist;
To the post set for the cor. to Sec. 20. 21. 28. & 29.

West Between Sec. 20. & 29 T. N. 9. N. R. No. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 9 in. dia. beam N 43 E. 18 miles dist; & a
do 9 in. dia. beam S 11 E 7 in. —

80.00 Set a post for the cor. to Sec. 19. 20. 29. & 30 from
which a Sugar 6 in. dia. beam North 3 miles dist
be a Beck 12 in. dia. beam S 2 E. 29 in. —
Land is very good for farming; Timber
same as the last mile.

South On a random line between Sec. 29. & 30 T. N. 9.
N. R. No. 27.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

45.50 To a Brook 12 miles wide; comes W.

79.93 Intersect the E & W line 20 miles West of the post
set for the cor. to Sec. 29. 30. 31. & 32.

Land is similar to the last mile; quite healthy.

South On a random line between Sec. 31. & 32. T. N. 9. N.
R. No. 27.

40.00 Set a temporary post for the cor. to the $\frac{1}{4}$ sec.

67.00 To a Brook 30 miles wide; comes W.

81.00 Intersect the E & W line 54 miles West of the post
set for the cor. to Sec. 31. & 32.

Land is suitable for farming; the N. W. $\frac{1}{4}$
healthy & strong;

North On the true line between Sec. 31. & 32. T. N. 9. N.
R. No. 27.

40.50 Set the temporary post at the cor. set on the true line
for the cor. to $\frac{1}{4}$ sec. from which a

Beck 8 in. dia. beam S 85 W. 19 miles dist;
to W. Sec. 27 in. — N 15 W. 22 in. —

T. N. 9. N. R. N. 2 W. 2nd Mer (Ind.)

81.00 To the post set for the cor. to Sec. 29, 30, 31 & 32.

West Between Sec. 31 & 32. T. N. 9. N. R. N. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Sugarcane 12 in air-borne N 24 E 14 miles dist; to
Do 9 n n n S 86 W. 14 n

45.00 To a brook 20 miles wide; course S. W.

66.64 Introduced the N. 13 line 15 $\frac{1}{2}$ miles North of the
post set for the cor. to Sec. 25, & 36. T. N. 9. N. R.
N. 3 W. and set a post for the cor. to Sec. 30 &
31. T. N. 9. N. R. N. 2 W. from which a
Sugarcane 6 in air-borne S 1 E. 6 miles dist; to
Do 7 n n n S 45 W. 9 n n
Lands Heilly and muddling good for farming
Timber Beech Sugar Oak & Walnut;

North On the true line between Sec. 30 & 31 T. N. 9. N.
N. 2 W.

39.97 Set the temporary post at the corner dist on the true
line for the cor. to $\frac{1}{4}$ Sec. from which a
Sugarcane 4 in air-borne S 8 W. 10 miles dist; to
Beech 18 n n n S 24 E. 27 n n

79.93 To the post set for the cor. to Sec. 19, 20, 29, & 30.

West On the true line between Sec. 19 & 30 T. N. 9. N.
N. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Beech 14 in air-borne S 63 E. 10 miles dist; to
Sugarcane 18 n n n N 44 W. 7 n n

66.25 Introduced the West Boundary of T. N. 9. N.
N. 2 W. 22 $\frac{1}{2}$ miles N. of the post set for the cor.
to Sec. 24 & 25 T. N. 9. N. R. N. 3 W. and
set a post for the cor. to Sec. 19 & 30 from which a
Heilly 7 in air-borne S 63 E. 10 miles dist; to
Sugarcane 3 n n n N 44 E. 8 n n
Lands Heilly and muddling good for farming.

337

T. N. 9 N.R. N. 27. 2nd Mer. (Ind.)

Timber same as in the last mile;

Sept. 18th 1815. Var. 7⁰⁰.

- North Between Sec. 21 & 22 T. N. 9 N.R. N. 27.
 40.00 Got a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beet 9 in. dia. bears N 47 W. 18 miles dist; to a
 Elm 24 n n n S 14 E. 40 n n
 80.00 Got a post for the cor. to sec. 15. 16. 21. & 22. from which
 a Sugar 8 in. dia. bears N 37 E. 19 miles dist; to
 Do 4 n n n S 28 W. 20. n n
 Lands rolling and excellent for farming;
 Timber same as in the last mile;

- North Between Sec. 15 & 16. T. N. 9 N.R. N. 27.
 40.00 Got a post for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 12 in. dia. bears S 86 E. 4 miles dist; to
 Do 27 n n n S 59 W. 23 n n
 80.00 Got a post for the cor. to sec. 9. 10. 15. & 16. from
 which a Beet 12 in. dia. bears N 52 E. 11 miles dist;
 A Ash 30 in dia. bears N 41 W. 16 miles dist
 Lands level with timber same as in the last mile.

- North Between Sec. 9. & 10 T. N. 9 N.R. N. 27.
 40.00 Got a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beet 14 in dia. bears N 27 W. 33 miles dist; to
 Do 5 n n n S 35 E. 16 n n
 60.00 To a Spring Come East
 80.00 Got a post for the cor. to sec. 3. 4. 9. & 10.
 Made the cor. in a Sugar 20 in dia
 Lands rolling & not farming lands;
 Timber Beet Sugar Walnut and Poplar.

- West Between Sec. 16 & 21. T. N. 9 N.R. N. 27.
 40.00 Got a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beet 10 in dia. bears N 61 E. 5 miles dist;
 Sugar 9 n n n N 66 W. 28 n n

T. N. 9. N. R. 1. 2 W. 2nd Mer. (Ind.)

80.00 Set a post for the cor. to sec. 16. 17. 20. & 21. from which a Sugar 9 in dia. bears S 60 E. 12 miles dist; & on Elm 24 in a ~ N 16 W. 38 ~ ~
Land is Kelly and part meadow good farming land
Timber same as on the last mile.

South On a Random line between Sec. 20. & 21. *T. N. 9. N. R. 1. 2 W.*

110.00 Set a temporary post for the cor. to 1/4 sec.

80.20 Intersect the E 1 W. line 8 miles East of the post
Set for the cor. to sec. 20. 21. 28. & 29.
Land is Kelly Timber same as in the last mile.

North On the true line between Sec. 20. & 21. *T. N. 9. N. R. 1. 2 W.*

40.10 Set the temporary post at the aver. dist on the true line for the cor. to 1/4 sec. from which a
Sugar 12 in dia. bears S 58 E. 7 miles dist; & on Oak 5 9 in a ~ N 37 W. 40 ~ ~

80.20 To the post set for the cor. to sec. 16. 17. 20 & 21.

North Between Sec. 16 & 17. *T. N. 9. N. R. 1. 2 W. Var. 7.00*

37.00 To a Brook 10 W. side. corner S. N. Var. 7.00

40.00 Set a post for the cor. to 1/4 sec. from which a
Oak 18 in. dia. bears S 47 W. 8 miles dist; & on Birch 14 in a ~ N 27 E. 41 ~ ~

80.00 Set a post for the cor. to sec. 8. 9. 16. & 17. from which an Elm 10 in. dia. bears S 10 E. 26 miles dist; & on Sugar 8 in a ~ N 40 E. 10 ~ ~
Land is rolling under rich soil; good for farming
Timber same as on the last mile.

East On a Random line between Sec. 9. & 16. *T. N. 9. N. R. 1. 2 W.*

40.00 Set a post for the cor. to 1/4 sec. (temporary)

79.92 Intersect the N. 1/2 line 16 miles North of the post.

T. N^o 9. N.R. N^o 27. 2nd Mer. (Ind. 2)

Set for the cor. to sec. 9. 10. 15. 16. Lands R^t rate
for farming; Timber same as on the last mile.

West On the true line between Sec. 9. & 16. T. N^o 9. N.
R. N^o 27.

39.96 Set the temporary post at the av. dist on the true line for
the cor. to $\frac{1}{4}$ sec. from which a
Sugar 9 in. dia. bore N 87 E. 22 miles dist; to
Do 10 in. " " S 4 E. 5 " "

49.92 Set the post for the cor. to sec. 8. 9. 16. & 17.

North Between Sec. 8. & 9 T. N^o 9. N.R. N^o 27.

40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a
Beck 9 in. dia. bore S 57 E. 7.1 miles dist; to
Sugar 12 in. " " West 18 " "

80.00 Set a post for the cor. to Sec. 4. 5. 8. 9. from which
a Beck 19 in. dia. bore N 56 E. 23 miles dist; to
Do 16 in. " " S 17 W. 11 " "
Lands level and rather wet; Colds soil & good
for Grass; Timber principally Beck, some-
gun & Poplar.

West Between Sec. 17. & 20 T. N^o 9. N.R. N^o 27.

40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a
Sugar 5 in. dia. bore N 69 E. 19 miles dist; to
Beck 27 in. " " S 68 W. 15 " "

80.00 Set a post for the cor. to Sec. 17. 18. 19. 20. from
which a Beck 24 in. dia. bore N 60 W. 6 miles dist; to
Sugar 10 in. dia. bore S 79 E. 40 miles dist; to
Lands rolling and R^t rate for farming; Timber
Beck, Sugar, Ash, Walnut and Poplar.

South On a random line between Sec. 19 & 20. T. N^o 9
N.R. N^o 27.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.28 Set the line at the first set for the

T. N. 9. R. N. 2 W. 2nd Mer. (Ind.)

cor. to sec. 19, 20, 29, & 30; Sands hills and some
part rather stony; Timber same as on the
last mile;

North Betoum Sec 19 & 20 T. N. 9. R. N. 2 W.
On the true line.

- 40.14 Set the temporary post at the aver. dist on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 11 in. dia. bore N 20 W. 7 miles dist; r =
Beck 9 a n n N 45 E. 39 a n
80.28 To the post set for the cor. to sec. 17, 18, 19, 20.

West Betoum Sec. 18 & 19. T. N. 9. R. N. 2 W. Sec. 6.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 12 in. dia. bore S 65 E. 10 miles dist; r =
Do 14 a n n N 44 W. 16 a n
66.50 Intersect the W. Boundary of T. N. 9. R. N. 2 W.
300 miles North of the post set for the cor. to sec.
13 & 24 T. N. 9. R. N. 3 W. and set a post
for the cor. to sec. 18 & 19. from which a
W. Oak 30 in. dia. bore N 61 E. 23 miles dist; r =
W. Oak 30 a n n S 58 W. 38 a n
Sands lie in low fields and good for farming
Timber same as on the last mile.

North Betoum Sec. 17 & 18. T. N. 9. R. N. 2 W.

- 27.50 To a Brook 15 miles wide; Course W.
37.50 To a Spring branch; Course W.
34.50 To a Brook 10 miles wide; Course S. W.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Elm 20 in. dia. bore N 7 E. 37 miles dist; r =
W. Beck 8 a n n S 75 E. 23 a n
80.50 Set a post for the cor. to sec. 7, 8, 17 & 18. from which
a Beck 27 in. dia. bore N 35 W. 16 miles dist; r =
Sugar 6 a n n N 49 E. 10 a n
Sands low and good for farming; nearly S.

T. N. 9. N. 27. 2nd Mer. (In 1^a)

Timber Lume down the last mile;

East On a Meridian line between Sec. 8. & 17. T. N. 9. N. N. 27.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.00 Intersected the N. & S. line 15 miles South of the post set for the cor. to Sec. 8. 9. 16. & 17.

Good soil and timber Lume down the last mile.

West On the true line between Sec. 8. & 17. T. N. 9. N. N. 27.

40.00 Set the temporary post at the cor. set on the true line for the cor. to $\frac{1}{4}$ sec. & made the cor. on a Buck 5 in dia. from which a Buck 11 in dia. bears N 7 E 17 1 mile dist;

80.00 To the post set for the cor. to Sec. 7. 8. 17. & 18.

West On the true line between Sec. 7. & 18. T. N. 9. N. N. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a Buck 12 in. dia. bears S 27 W. 14 miles dist; & D 30 a n n N 5 E 28 a n n

66.62 Intersected the West Boundary of T. N. 9. N. N. 27. 392 miles North of the post set for the cor. to Sec. 12. & 13. T. N. 9. N. N. 37. made set a post for the cor. to Sec. 7. & 18. from which a Buck 24 in. dia. bears N 60 E. 15 miles dist; & D 10 a n n S 54 W 34 a n n
Good healthy good soil; Timber Lume is last mile.

East On a Meridian line between Sec. 4. & 9. T. N. 9. N. N. 27. Sept. 20. 1815

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.48 Intersected the N. & S. line 79 miles North of the post set for the cor. to Sec. 3. 4. 9. 10.

Good the West $\frac{1}{4}$ land and not; East $\frac{1}{4}$ first rate.

T. N. 9. R. N. 2 W. 2nd Mer. (Ind^e)

Farming lands; Timber same as on the last mile

West. Chatham line between Sub. 4 & 9. T. N. 9. R. N. 2 W.

- 40.24 Set the temporary post at the aver dist in the true line for the cor. to $\frac{1}{4}$ sec. from which a
 W. Oak 20 in. dia. has N 56 E. 34 links dist; or
 Gum 12 " " " N 87 E. 40 " "
 80.48 Set the post set for the cor. to sub 4. 5. 8. 9.

North. Between Sub. 4. & 5. T. N. 9. R. N. 2 W.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 7 in dia. has S 40 E. 23 links dist; or
 Do 8 " " " N 25 W. 8 " "
 73.89 Intersection the North Branch of Lanes N. 9 R. N. 2 W. 448 links West of the post set for the cor. to Sub. 32. 133. N. 10. R. N. 2 W. and set a post for the cor. to Sub. 4 & 5 from which a
 W. Oak 12 in dia. has S 77 E. 17 links dist; or
 Buck 24 " " " N 23 W. 20 " "
 Lands South of met; North of Good lands for farming; Timber same as on last mile; Sugar &c

West. Between Sub. 5. & 8. T. N. 9. R. N. 2 W.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 19 in. dia. has N 15 E. 16 links dist; or
 Do 15 " " " S 1 W. 42 " "
 80.00 Set a post for the cor. to Sub. 5. 6. 7. & 8. from which a
 Buck 9 in dia. has N 75 E. 11 links dist; or
 Do 9 " " " S 62 W. 15 " "
 Lands here and part met; & part good farming lands;

South. Chatham line between Sub. 7. & 8. T. N. 9. R. N. 2 W.

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

T. No. 9. N. R. No. 2 W. 2nd Mer (Ind.)

- 80.88 Intersected the E. & W. line 40 miles East of the first set for the cor. to Sub. 7, 8, 17 & 18.
 Lands are for farming; Timber Beech, Sugar, Poplar & Walnut &c.

North On a true line between Sub. 7 & 8 T. No. 9. N. R. No. 2 W.

- 40.30 Set the temporary first at the corner east on the true line for the cor. to 1/4 sec. from which a
 Tree 18 in. dia. bears S 31 W. 28 miles dist; &
 Logwood 6 a a N 76 W 20 a a
 80.60 To the first set for the cor. to Sub. 5, 6, 7 & 8.

West Between Sub. 6 & 7. T. No. 9. N. R. No. 2 W.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 14 in. dia. bears N 29 W. 1 mile dist; &
 Tree 6 a a S 9 E. 6 a a
 67.36 Intersected the N. & S. line 472 miles North of the first set for the cor. to Sub. 1 & 12. T. No. 9. N. R. No. 3 W. and set a post for the cor. to Sub. 6 & 7 from which a Tree 10 in. dia. bears S 62 E. 4 miles dist; and a Tree 12 a a N 48 W 9 a a
 Lands good for farming; Timber same as in the last mile;

North Between Sub. 5 & 6 T. No. 9. N. R. No. 2 W.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 10 in. dia. bears S 7 E. 11 miles dist; &
 Wood 20 a a N 24 W. 15 a a
 73.83 Intersected the E. & W. line 479 miles West of the first set for the cor. to Sub. 31 & 32 T. No. 10 N. R. No. 2 W. and set a post for the cor. to Sub. 5 & 6 from which a Tree 9 in. dia. bears S 46 E 2 miles dist; &
 Do 10 a a S 54 W. 22 a a
 Lands good and wet Timber mostly Beech

T. No 9 H.C. No 2nd W. 2nd Mer. (Ind. v.)

September 15th 1865.

North Between G.L. 35 & 36. T. N. 9. N. R. N. 2 W.

40.00 Set a post for the cor. to Pt Sec. from which a
Noak 18 in. dia. and 18 ft. 16 links dist. to
Noak 16 " " " " " " " " " " " "

80.00 Set apart for the creek bed 25, 26, 35 & 36 from
which a W. Oak 18 in dia. has E 37 N. 17 W. in dia.
and a Logwood 5 a a a N 67 E. 4 a a
Sands Hilby and mending for farming:
Timber Oak, Ash, Poplar, Hickory & Hazel.

East Okla Museum Min. between Sep 25, 1866. Y No. 9.
N. W. No. 27.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.65 Intersect the N & S line 82 miles South of the
Post Set for the cor. to sec. 25 & 36.

Sandy soil and timber same as in the last mile.

West On the true line between Secs. 25, 26, & 7 N. 9. E.
T. 2 N.

240.324 Set the tempo first at the av. met on the true line for the cor. to H. L. v. from which a

N. Oak 18 in. diam. base S. 56 E. 22 limbs dist. 12

Wok 20 a a - 577 4.37 a -

8th 65 To the first lot for the cor. to Sub. 25, 26, 35 & 36.

North Between Lat. 25 & 26. S. N. 9. N. H. N. 277.

40.00 Set apart for the con. to '14 Rev. from which a

W. Beck Find in house #4877. 25 birds each, 10

ask 30 nan N42729 na

80.00. Set a pair for the Cor. to Sw. 23, 24, 25, 26. June

Whisk a Sugar 3 in. dia brass N21 E. 18 Cents

Chibi ga Do Yua - 43172.28u

under sail and towed down the coast with.

September 16th 1815.

T. N. 9. N. H. N. 27. 2nd 1/2 Mer. Ind.

North Between Sec. 26. & 27. T. N. 9. N. H. N. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
5 in dia. beam S57 W. 15 miles dist.

Heck 7 n n n N75 W 14 n n

80.00 Set a post for the cor. to Sec. 22, 23, 26, & 27. from which

N. H. Beck 5 in dia beam S26 W. 13 miles dist. to

Sugar 16 n n n N22 E 17 n n

Good land for farming; Timber Oak, ash, Pop-
lar & Walnut.East On a Meridian line between Sec. 23. & 26. T. N. 9.
N. H. N. 27.40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.80.20 Intersect the N. H. line 21 miles South of the
post set for the cor. to Sec. 23, 24, 25, & 26.

Land well suited timber same as on the last survey.

West On the true line between Sec. 23. & 26. T. N. 9. N.
H. N. 27.40.10 Set the temporary post at the cor. dist. on the true
line for the cor. to $\frac{1}{4}$ sec. from which a

Sugar 8 in dia beam N30 W. 9 miles dist. to

Eden 18 n n n West 12 n n n

80.20 To the post set for the cor. to Sec. 22, 23, 26, & 27.

East On a Meridian line between Sec. 24. & 25. T. N. 9.
N. H. N. 27.40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.81.10 Intersected the N. H. line 65 miles South of the
post set for the cor. to Sec. 24 & 25.Land well suited for farming; Timber
Oak, Hickory, & Beech.West On the true line between Sec. 24. & 25. T. N. 9. N.
H. N. 27.

40.56 Set the temporary post at the cor. dist. on the true

T. N. G. N. R. N. 27. 2nd Mar. (Ind. 2.)

line for the cor. to the $\frac{1}{4}$ Sec. from which a
 Buck 15 in dia. beam S 72 E. 13 links dist; 10
 Hick 17 in ~ ~ S 60 W. 19 ~ ~

West On a Main line between Sep. 22, 1827 T. N. G.
 N. R. N. 27.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec. from which a
 80.95 Intersect the N. R. S. line 53 links South of the
 post set for the cor. to Sep. 21, 22, 27, 1828.
 Land good for farming;

East On a Main line between Sep. 22, 1827 T. N. G. N. R.
 N. 27.

40.47 Set the temporary post at the cor. dist on the true line
 for the cor. to $\frac{1}{4}$ Sec. from which a
 Sugar 9 in dia. beam N 53 E 7 $\frac{1}{2}$ links dist; 10
 Sep 20 ~ ~ ~ S 63 W. 28 ~ ~
 80.95 To the post set for the cor. to Sep. 22, 23, 26, 1827.

September 17, 1815.

North Between Sep. 23, 1824 T. N. G. N. R. N. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Sugar 14 in dia. beam S 44 W. 9 links dist; 10
 Buck 20 ~ ~ ~ N 16 E. 19 ~ ~
 80.00 Set a post for the cor. to Sep. 13, 14, 23, 1824 from
 which a Sugar 16 in dia. beam S 85 E. 32 links dist;
 and a Do 9 ~ ~ ~ S 86 W. 15 ~ ~
 Timber Oak, Ash, Buck, Poplar, Walnut, Gum.
 Sugar &c. Land welling and good for farming

East On a Main line between Sep. 13, 1824 T. N. G. N.
 R. N. 27.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
 81.11 Intersect the N. R. S. line 17 links South of the post
 set for the cor. to Sep. 13, 1824
 Timber Oak Hick 17 Buck Sassafras &c.

T. N. 9 N. W. N. 2 W. 2nd Mer (Ind. 4)
 Lands including goods for farming;

West On the true line between Sub 13 & 24 T. N. 9. N. N. N. 2 W.

40.35 Set the temporary post at the aver. dist on the true line for the cor. to $\frac{1}{4}$ sec. From which a
 Sugar 9 in dia. beam - 75 E. 4 $\frac{1}{2}$ links dist 10
 Do 5 " " " 85 E. 34 " "

81.11 To the post set for the cor. to sub 13. 14 23. 24.

North Between Sub 13 & 14 T. N. 9. N. N. N. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which a
 Beam 18 in dia. beam N 9 W 16 links dist 10
 Sugar 10 " " " 80 E. 17 " "

80.00 Set a post for the cor. to sub. N. 12. 13. & 14 T. N. 9. N. N. N. 2 W. From which an

Chain 7 in dia. beam S 66 W. 19 links dist 10
 Sugar 7 " " " N 80 E. 12 " "

Lands goods for farming; Timber Oak, Ash, Beech
 Poplar, &c.

East On a random line between Sub 12. & 13 T. N. 9. N. N. N. 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

81.36 Intersect the N 8 W line 8 links North of the
 post set for the cor. to sub 12 & 13.

Lands including goods for farming;

West On the true line between Sub 12 & 13 T. N. 9. N. N. N. 2 W.

40.68 Set the temporary post at the aver. dist on the true line for the cor. to $\frac{1}{4}$ sec. From which a

Dogwoods 3 in dia. beam S 54 W. 5 links dist 10
 Do 2 $\frac{1}{4}$ " " " N 54 E. 2 " "

81.36 To the post set for the cor. to sub. 11. 12. 13. & 14 T. N. 9. N. N. N. 2 W.

T. N. 9. N. W. No 2 W. 2nd Mer. Ind.?

- West On a ~~Random~~^{true} line between Sep 14. & 23. T. N. 9.
N. W. No 2 W.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Cherry 2 $\frac{1}{2}$ in dia. bears S 26 W. 10 miles dist; to
Beck 24 " " " N 40 E. 30 " "
- 62.00 To a creek 50 miles mid; course N. W.
- 80.00 Set a post for the cor. to $\frac{1}{4}$ sec. Sep. 14. 15. 22. & 23 from
which a Beck 36 in dia. bears West 17 miles dist
and a Sugar 16 " " " N 7 E. 14 " "
Sandy good for farming timber Sugar Beck etc.
-

- South On a Random line between Sep. 22. & 23. T. N. 9
N. W. No 2 W.
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 80.39 Intersect the E & W. 18 miles East of the post
Set for the cor. to Sep. 22, 23, 26 & 27.
Cane & soil and timber same as in the last mile.
-

- North On the true line between Sep. 22. & 23. T. N. 9 N.
N. W. No 2 W.
- 110.19 Set the temporary post at the av. dist on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Beck 7 in dia. bears N 83 W. 17 miles dist; to
Do 36 " " " N 70 E. 31 " "
- 80.39 To the first set for the cor. to Sep. 14. 15. 22. & 23.
-

- West On a Random line between Sep. 15 & 22. T. N. 9.
N. W. No 2 W.
- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
- 81.36 Intersect the N & S line 52 miles South of the
post set for the cor. to Sep. 15. 16. 21. & 22.
Cane & soil and timber same as in the last mile.
-

- East On a true line between Sep. 15 & 22. T. N. 9 N. W.
No 2 W.
- 40.68 Set the temporary post at the av. dist on the true line

T. N. 9. R. 27. 2nd Mer. (Ind.)

for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 20 in dia bore N 32 E 10 miles dist; to
 Do 9 a n n N 52 W 13 a n
 8136 To the post set for the cor. to sub. 14, 15, 22, & 23.

September 17, 1815.

North Between Sub 11. & 12. T. N. 9. R. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beech 11 in dia bore S 77 W 9 miles dist; to
 Sugar 6 a n n N 67 E 15 a n

80.00 Set a post for the cor. to sub. 1, 2, 11, & 12, from which
 a Beech 16 in dia bore N 16 E 12 miles dist; to
 Hick 18 a n n N 77 W 23 a n
 Land mostly under muddling for farming;
 Timber Oak, Hick, Beech, Sugar, &c

East On a random line between Sub. 1 & 12. T. N. 9. R.
 N. 27.

10.00 To a small spring branch corner East.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

8132 Into section the N. & S. line 22 miles North of the
 post set for the cor. to sub. N. 1 & 12.
 Land thin; Timber Beech Oak, & Spruce.

West On the true line between Sub. 1 & 12. T. N. 9. R.
 N. 27.

40.00 Set the temporary post at the above. dist on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Beech 10 in dia. bore N 42 W 74 miles dist;

Do 5 a n n N 33 E 22 a n

8132 To the post set for the cor. to sub. 1, 2, 11, & 12.

September 19, 1815.

North Between Sub 14. & 15. T. N. 9. R. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Walnut 16 in dia bore N 60 E 20 miles dist;

I. N. 9. N. H. N. 2 W. 2nd Mer.

- Sugar 17 in dia base $N 44 W 32$ miles chik
 73.00 To a Brook 50 miles wide; Course N. W.
 80.00 Set a post for the cor. to Sub. 10. 11. 14 & 15 from which
 a sugar 16 in dia base $N 89 W. 33$ miles chik; 10
 N. Brook on a $N 73 E. 10$ a
 Land good for farming; Timber Walnut Sugar
 & Beech.

East On the true line between Sub. 10. & 15. *I. N. 9. N.
 N. N. 2 W.*

- 14.50 To a Brook 60 miles wide; Course N. W.
 40.00 Set a temporary post for the cor. to 14 sec.
 42.50 To a Brook 30 miles wide; Course W.
 81.24 Intersected the N. & S line 107 miles South of the
 post set for the cor. to Sub. 10. 11. 14 & 15.
 Same soil and timber same as on the last run.

West On the true line between Sub. 10. & 15. *I. N. 9.
 N. N. 2 W.*

- 40.62 Set the temporary post at the arm, west on the true
 line for the cor. to 14 sec. from which a
 Sugar 15 in dia base $N 27 E. 12$ miles chik; 10
 L. 4 a a a $S 55 E 12$ a a
 81.24 To the post set for the cor. to Sub. 9. 10. 15 & 16.

East On a Meridian line between Sub. 11 & 14. *I. N. 9
 N. N. 2 W.*

- 40.00 Set a temporary post for the corner to 14 sec.
 80.19 Intersected the N. & S line 11 miles North of the
 post set for the cor. to Sub. 11. 12. 13 & 14
 Same soil and timber same as on the last run.

West On the true line between Sub. 11. & 14. *I. N. 9. N.
 N. N. 2 W.*

- 40.09 1/2 Set the temporary post at the arm, west on the true
 line for the cor. to 14 sec. from which a

T. N. 9. N. H. N. 27. 2nd Mer. (Ind. 2)

W. Walnut 16 in dia here N67N.26 miles dist; to
 Birch 17 " " " N14E.31 " "
 80.19 To the post set for the cor. to Sep. 10. 11. 14. & 15

North Between Sep. 10. & 11. T. N. 9. N. H. N. 27.
 36.00 To a Brook 25 miles near; corner N.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Sugar 14 in dia here N43N.2 miles dist; to
 Do 4 " " " S26E 7 1/2 " "
 80.00 Set a post for the cor. to Sep. 2. 3. 10. & 11. from which
 on Oak 20 in dia here S87E.21 miles dist; to
 — 13 " " " N77N.19 " "
 Sand soil and timber same as on the last mile

West On a Random line between Sep. 3 & 10. T. N. 9. N. H. N. 27.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 45.00 To a Brook 60 miles near; corner N.
 80.50 Intersected the N. & S line 103 miles South of the
 post set for the cor. to Sep. 3. 4. 9. 10.
 Sand soil and timber same as on the last mile.

East On a true line between Sep. 3 & 10 T. N. 9. N. H. N. 27.
 40.25 Set the temporary post at the above dist on the true line
 for the cor. to 1/4 sec. from which a
 Sugar 20 in dia here S71N.9 miles dist; to
 Do 14 " " " N7E.22 " "
 80.50 To the post set for the cor. to Sep. 2. 3. 10. & 11.

September 20. 1815

North Between Sep. 3 & 4 T. N. 9. N. H. N. 27.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Birch 18 in dia here West 5 miles dist; to
 Do 7 " " " S68N.26 " "
 45.48 Intersected the N. & S. corner of Sec. 9. N.

T. N. 9. N. R. N. 27. 2nd Mer. (Ind. ^o)

N. N. 27. 322 links West of the post lot for the
cor. to sec. 33 & 34 T. N. 10. N. R. N. 27. and
set apart for the cor. to sec. 3 & 4 from which
Snowbirds 5 in dia base S 34 E. 6 links dist to
Beck 18 a n n N 34 W. 23 a n n
Land soil and timber same as on the last owner.

East On a Meridian line between Sec. N. 2 & 11. T. N. 9.
N. R. N. 27.

40.00 Set a temp. post for the cor. to 1/4 sec.

80.67 Intersect the N. & S. line 19 links South of the
post set for the cor. to sec. 1, 2, 11, & 12.
Land soil and timber same as on the last owner.

West On the true line between Sec. 2 & 11. T. N. 9. N. R.
N. 27.

40.33 1/2 Set the temp. post at the av. dist on the true line
for the cor. to 1/4 sec. from which
Sugar 17 in dia base S 89 W. 14 links dist to
Beck 11 a n n S 64 E. 29 a n n

80.67 To the post set for the cor. to sec. 2, 3, 10, 11.

North Between Sec. 1 & 2 T. N. 9. N. R. N. 27.

5.00 To a Brook 14 links wide; course N. W.

40.00 Set apart for the cor. to 1/4 sec. from which
Beck 16 in dia base S 23 W. 5 links dist to
do 10 a n n N 15 E. 21 a n n

64.00 To a Brook 6 links wide; course S. E.

79.15 Intersect the N. Boundary of T. N. 9. N. R.
N. 27. 178 links West of the post set for the
cor. to sec. 35 & 36 T. N. 10. N. R. N. 27. and
set apart for the cor. to sec. 1 & 2, from which
Snowbirds 2 in dia base S 85 E. 3 links dist to
do 3 a n n N 69 W. 8 a n n
Land Kelly made mudding grove for farming
Lumber Oak. Beech, Hard W. etc.

T. N. 9. R. N. 27. 2nd Mer. (Ind.)

North Between Sec. 2 & 3. T. N. 9. R. N. 27.
 39.00 To a Brook 50 miles min; hence N.
 4000 Set apart for the cor. to the N. from which a
 Brook 3 in. diam. flows - 56 N. 18 miles dist; to
 Sagin 11 a. m. N 58 W. 25 a. m.
 7825 Enter into the N. B. run at the T. N. 9. R. N. 27.
 N. 247 miles West of the West set for the cor. to the
 34 & 35 T. N. 10. R. N. 27. made set apart
 for the cor. to Sec. 2 & 3. from which a
 Sagin 7 in. diam. flows 979 E. 4. miles dist; to
 Buckeye 10 a. m. S 8 W 16 a. m.
 Land good for farming; Timber Ash, Sugar
 and Buckeye.

Surveyed by
 William Harris
 Depy Sur.

Certify that the foregoing transcript of the
 field notes of Township N. 9. South of Range
 N. 2 West of the 2nd Mer. (Indiana), has been
 compared with the original notes in this Of-
 fice and found to be correct.

Surveyor General Office.
 Cincinnati, Dec. 28. 1839

E. S. Rains
 Sur. Gen.